


Icelandic National Annexes to EUROCODES

(The following National Annexes, which contain special requirements for bridges,
are not included in this book: 1991-2 / 1992-2 / 1993-2 / 1994-2 / 1995-2)

Íslenskir þjóðarviðaukar við evrópska þolhönnunarstaðla

(Eftirtaldir viðaukar, sem innihalda sérákvæði fyrir brýr,
eru ekki í þessari bók: 1991-2 / 1992-2 / 1993-2 / 1994-2 / 1995-2)

Mannvirkja
stofnun



IST EN 1990:2002/NA:2010

(7) The minimum requirements for checking depends on which consequence classes the building in question belongs to. They are defined in Table B4b.

Table B4b – Minimum requirements for checking

Consequence class	Self-checking	Independent checking	Third party checking
CC1	X		
CC2	X	X ¹	
CC3 if not covered by (4)	X	X	
CC3 if covered by (4)	X	X	X

1) The requirement of independent checking in CC2 is only valid for the project basis. For the rest of the design material the check can be carried out by persons that have not been involved in the design of the relevant part of the structure.

Mannvirkja
stofnun

IST EN 1990:2002/NA:2010

Table B5a – Definition of inspection

Inspection levels	Definition
Self-inspection	Inspection performed by the person who has carried out the execution.
Independent inspection	Inspection performed by persons that have not been involved in execution of the structure.
Third party inspection	Inspection performed by an organisation which is not directly or indirectly economically connected to the organisation or those organisations which have carried out the execution work.

(7) The minimum requirement for inspection during execution depends on the consequence class the structure belongs to. This is specified in Table B5b.

Table B5b – Minimum requirements for inspection

Consequence class	Self-inspection	Independent inspection	Third party inspection
CC1	X		
CC2	X	X ¹	
CC3 if not covered by (4)	X	X	
CC3 if covered by (4)	X	X	X

¹⁾ The requirement of independent checking in CC2 can be seen as covered if it is carried out by persons that have not been involved in the execution of the relevant part of the structure.

Mannvirkja
stofnun

Sænskar byggingarreglur

Mannvirkja
stofnun

Sænsk byggingarlög í byggingarframkvæmd?

- Ferill eftir samþykkt byggingaráform
- Verklagið er gert til að sjá til þess að mannvirkið sé samkvæmt kröfum samfélagsins.

